



- 5.0 JS (PMSSY) also clarified that now all the OTs are of SS panel and there are only two types viz. MOTs and integrated MOT. There is no bifurcation like low, mid and high end.
- 6.0 It was also informed by PSA that there was a requirement from Director ,AIIMS Patna for having a stand-alone OT, which is to set up as a different unit apart from the OTs available in the design. It was further clarified that this will cost approx. Rs 3 Cr and it was not recommended by the committees in the earlier meetings. After deliberations, it was decided not to have any stand-alone OT and the proposal is dropped.
- 7.0 OT light will be part of the Modular OT tender
- 8.0 It was apprised by PSA that the O&M (operation and maintenance) for MGPS will be part of the tender and all the bidders shall submit the rate for O&M alongwith the tender and the same will be considered for evaluation purpose for finalizing L1. However, the O&M cost will be paid by the respective AIIMS as per the terms & conditions as given in the tender document. The committee has agreed to the same.
- 9.0 It was decided that the ETO sterilizer will be not be a part of CSSD tender. The same will be procured by HLL for all the Institutes through a separate tender.
- 10.0 Training will be imparted for 5 persons from each Institute for MGPS and 10 persons from each Institute for CSSD by the successful bidder.
- 11.0 The time period for completion of work is 200 days from the placement of order to the supplier. which includes Supply, Installation, Testing , Commissioning and Training to the Institute staff,
- 12.0 It was decided that the responsibility of co-ordination with Civil works, CSSD, MGPS, MOTs shall be with PSA and they are responsible for timely completion of the work
- 13.0 Chairman also mentioned that no variation, deviation etc. shall be handled by MoHFW and the PSA shall be responsible for the same.
- 14.0 On Chairman's query regarding tender evaluation, separate committees are already in place and PSA will co-ordinate with the committee. However, approval shall be taken from MoHFW for bid evaluation and ward of work
- 15.0 JS (PMSSY) informed that no " foreign inspection" will be done by PSA, AIIMS or MoHFW for this tender. However, PSA to ensure inspection of foreign goods either through a third part inspection agency through suitable provisions in tender.
- 16.0 It was brought to the notice of the chair that CCI in a recent order has allowed to incorporate the condition in the qualification criteria the agencies penalized by CCI may be debarred, but the buyers

have the right to prescribe such terms and condition which they consider fit for the purpose. PSA informed that if such condition is incorporated in AIIMS tender , then it would restrict competition and considering the high value of tender it would not be a prudent decision. PSA further informed that they apprehend that inclusion of such clause may lead to no responsiveness/single responsiveness bid situation being the large value of tender ( Aprox. Rs. 50 cr each AIIMS for MOT and MGPS together) and may lead to no procurement situation. However the tender will have the clause that " the bidders who are debarred / blacklisted will not be allowed to participate in the tender". JS (PMSSY) informed that PSA has been asked to give the same in writing giving justification for the same.

After discussions and deliberations by the committee members, it was decided to go ahead as proposed by PSA.

16.0 On the process of reverse bidding, it was clarified that the technically qualified bidders will be allowed to participate in online bidding and the manual price bids submitted by them will also be considered. The lowest among the two will be awarded the work.

17.0 Bidder shall provide five year warranty and 5 year CMC

18.0 As instructed by the Chair, undertaking on anti-corruption practices by the bidder and PSA will also be incorporated in the tendering process.

Meeting ended with thanks to chair.